Index

Subjects

α-25 dihydroxyvitamin D_3 and Ia expression, 266
α-MSH and skin pigmentation (Case report), 286
Acanthosis nigricans, nicotinic acid and type V hyperlipidaemia (Case report), 412
AIDS, acral hyperpigmented macules and longitudinal melanoychia (Case report), 387
AIDS-related Kaposi's sarcoma (Case report), 74
Alopecia areata, serum and hair growth, 166
Antibiotic resistance and coagulase-negative staphylococci, 586
Antifungal agents and interactions. Suppl. 39, 19
Aphthous ulcers and 5-amino-salicylic acid, 185
Atopic eczema and Chinese medicinal plants, 179
Atopic eczema and eosinophil cationic protein, 351
Atopic eczema and sweating response, 346
Atopic skin, sweating and vasoconstrictive response, 246
Atopic skin and friction, capacitance and transepidermal water loss, 137
Azoles, allylamines and drug metabolism, Suppl. 39, 14

Bacillary angiomatosis (Review), 535
Blue naevus, giant scalp nodule (Case report), 375
Book Reviews:
Atlas of Cutaneous Laser Surgery. D.B.Apfelberg (Editor), 531
Atlas of Infections of the Skin. A.DuVivier, 530
Atlas of Skin Cancer. A.DuVivier, 530
Colour Atlas of Sexually Transmitted Diseases. L.C.Parish, V.N.Sehgal and D.M.Buntin, 207
Current Problems in Dermatology Vol. 20. *Metabolic Disorders and Nutrition Correlated with Skin.* B.J.Vermeer *et al.* (Editors), 532
Cutaneous Adnexal Tumours: A Guide to Pathologic Diagnosis. M.R.Wick and P.E.Swanson, 530
Dermatology in Europe. E.Panconesi (Editor), 531
Exogenous Dermatoses: Environmental Dermatitis. T.Menne and H.I.Maibach (Editors), 530
Genetic Disorders of the Skin. J.C.Alper (Editor), 207
Genital Papillomavirus Infections: Modern Diagnosis and Treatment. G.Gross, S.Jablonska, H.Pfister and H.E.Stegner, 208
Guide de Dermato-Allergologie Professionnelle. J.Foussereau, 531
Malignant Skin Tumours. A.J.J.Emmett and M.G.E.O'Rourke (Editors), 209
Neoplasms with Eccrine Differentiation. P.Abenoza and A.Bernard, 305
Paediatrics in the Tropics. R.G.Hendrickse, D.G.D.Barr and T.S.Matthews (Editors), 207
Physicians Guide to Sunscreens. N.J.Lowe (Editor), 209
Pinkus' Guide to Dermatohistopathology, 5th edition. A.H.Mehregan and K. Hashimoto, 530
Principle and Practice of Dermatology. W.M.Sams and P.J.Lynch (Editors), 208
Psoriasis. H.H.Roenigk and H.I.Maibach (Editors), 209
Sexually Transmitted Diseases—A Textbook of Genitourinary Medicine. G.W.Csonka and J.K.Oates (Editors), 208
Tumours of the Epidermis. K.Hashimoto and A.H.Mehregan, 532
Bradykinin and skin, 111
British Association of University Teachers of Dermatology (BAUTOD) (Correspondence), 201
Bullous pemphigoid antigen and interferon-gamma, 468
Bullous pemphigoid and hemiplegia (Case report), 614
Bullous pemphigoid and IgE antibodies (Correspondence), 526
Bullous pemphigoid and split skin immunofluorescence and immunoblotting, 236
Bullous pemphigoid and sun exposure (Correspondence), 91

Calmodulin and systemic sclerosis, 231
Cancer family syndrome (Case report), 83
Capsaicin and skin, 111
Carney's complex (Case report), 367
Carpal tunnel syndrome and autonomic neuropathy (Case report), 611
Chronic urticaria and warfarin (Correspondence), 415
Class II antigen expression and bullous pemphigoid, 463
Class II antigen expression and fibroblasts in scleroderma, 431
Collagen gene expression and fibroblasts in morphoea, 216
Collagen type VII and dystrophic epidermolysis bullosa, 222
Colophony and hand dermatitis, 161
Crohn's disease and hidradenitis suppurativa (Correspondence), 523
Crohn's disease and oral intraepidermal IgA pustulosis (Case report), 383
Cutaneous lymphoma, T-cell-receptor gene rearrangement and ultrastructural studies (Case report), 404
Cutaneous lymphoma and erythrodermic prodrome (Case report), 297
Cutaneous oxygen tension and topical steroids, 502
Cutaneous T-cell lymphoma and My7 (CD13) antigen, 320
Cyclosporin A and psoriasis (Report of a Meeting), 621
Cytokeratin and psoriasis treatment, 356

Darier's disease and vesiculo-bullous presentation (Correspondence), 416
Dermatitis artefacta (Case report), 86
Desmosomes in ichthyosis vulgaris, 24
Dihydroxyacetone and UVA protection (Correspondence), 94

Discoid lupus erythematosus and chronic granulomatous disease, 60
Discoid lupus erythematosus and scarring alopecia, 307

Eccrine syringofibroadenoma and cytokeratins, 257
Ehlers–Danlos syndrome type VIIB (Case report), 77
Eosinophilic pustular folliculitis and HIV infection (Case report), 392
Epidermolysis bullosa simplex (Dowling–Meara), 421
Eruptive histiocytoma (Case report), 196
Erythema gyratum repens and Langerhans cells (Case report), 189
Erythema multiforme and hepatitis B vaccine (Correspondence), 94

Fixed drug eruption and mefenamic acid (Case report), 409
Foetal antigen 2 and wound healing, 148
Fusidic acid levels and blister fluid, 591

Glucocorticoids and procollagen, 172
Glycosaminoglycans and dermal papilla cells, 479
Glycosaminoglycans and systemic sclerosis, 29
Granulomatous slack skin, 142
Griseofulvin and serum lipids (Correspondence), 202
Gulf War and dermatological problems (Correspondence), 200

Hailey–Hailey disease, 275
Herpes simplex virus and erythema multiforme, 19
Hidradenitis suppurativa and etretinate (Correspondence), 415
HIV-infection and molluscum contagiosum (Correspondence), 528
Hydroxychloroquine and atopic eczema (Correspondence), 93
Hyperhidrosis and clonazepam (Correspondence), 416

Indomethacin and dithranol inflammation, 262
Infectious erythemas in children (Correspondence), 302
Interferon-gamma and HT-180 cells, 331
Interleukin-1 and contact sensitivity, 125
Iron and skin inflammation, 250
Itch and haemodialysis (Correspondence), 95

Juvenile xanthogranuloma (Case report), 66

Kaposi's sarcoma and chylous ascites (Case report), 378
Keratin expression and basal cell carcinomas, 154
Keratinocytes, interleukin-1 augmentation by retinoid, 485
Klippel–Trenaunay syndrome and genetics, 603

Lamellar bodies and hydrolytic enzymes, 337
Langerhans cell tumour (Case report), 398
Leg ulcers and pericapillary fibrin, 582
Lichenoid oral lesions and amalgam restorations, 10
Lupus erythematosus and fatality (Correspondence), 303
Lymphangioma (Case report), 380
Lymphocyte trafficking in inflammatory dermatoses (Review), 211
Lymphomatoid papulosis and lymphoma, 596

Malignant melanoma and HIV-infection, 516
Malignant melanoma, Breslow thickness and public education (Correspondence), 206
Malignant melanoma, desmoplastic (Correspondence), 301
Malignant melanoma and re-excision of scar, 47
Malignant melanoma and ungual origin (Correspondence), 529
Melanocyte cultures and staurosporine, PMA and A23187, 118
Melanoma cell lines, hyperthermia and killer cells, 131
Melanoma cells in culture and effect of HuIFN-β, 324
Mercury allergy and lichenoid oral lesions, 10
Methotrexate and non-steroidal anti-inflammatory drugs (Correspondence), 95
Micrographic surgery and tissue preparation, 57
Morphoea and collagen gene expression, 216
Myiasis due to *Cordylobia rodhaini* (Correspondence), 418

Necrobiosis lipoidica and systemic steroids, 542
Nickel sensitivity, ear piercing and atopy, 16

Onychomatrixoma, 510
Onychomycosis and prevalence in U.K. Suppl. 39, 23

Papular mucinosis (Case report), 283
Paraphenylenediamine and oxidative stress, 450
Pemphigoid gestationis antigen and basal keratinocytes, 42
Perforating collagenosis and Down's syndrome (Case report), 71
Pityriasis rubra pilaris and HIV-infection (Case report), 617
Plasmacytoma and intralesional tumour necrosis factor (Case report), 395
Plasminogen binding in skin, 35
Pleomorphic T-cell lymphoma of the skin, 456
Porphyria cutanea tarda and erythrocyte uroporphyrinogen decarboxylase, 446
Post-irradiation scalp skin scales and 'tin-tack' sign (Correspondence), 90
Prolidase deficiency and blood transfusion (Case report), 193
Propionibacterium acnes, effects of zinc and erythromycin, 505
Prostaglandin E_2 and skin, 111
Pruritic dermatoses of pregnancy and IgM antibasement membrane antibodies, 474
Psoriasis, psoriatic arthritis and Sjögren's syndrome, 242
Psoriasis area and severity index (Correspondence), 205
Psoriasis and coal tar treatment, 608
Psoriasis and cyclosporin A (Report of a Meeting), 621
Psoriasis and cytokines, 105
Psoriasis and immunology (Review), 1
Psoriasis and intravital video-capillaroscopy, 436
Psoriasis, keratinocytes and L-fucose expression, 575

Psoriasis and microvascular changes, 569
Psoriasis and scarring alopecia (Correspondence), 524
Psoriasis treatment and immunocyte response, 356
Pustular psoriasis and atypical presentation (Correspondence), 417

Retinoic acid receptors and molecular biology (Review), 97
Ro antigen expression by keratinocytes and hormonal stimuli, 554
Ro antigen expression by keratinocytes and ultraviolet radiation, 546

Scabies, herpes simplex and leukaemia (Correspondence), 523
Scabies and renal transplant recipient (Correspondence), 204
Scarring alopecia and psoriasis (Correspondence), 524
Scleredema of Buschke and malignant insulinoma (Correspondence), 527
Seborrhoeic dermatitis and Hailey–Hailey disease (Case report), 294
Spitz naevus of the toe, 520
Staphylococcus aureus and isotretinoin therapy, 362
Sweet's syndrome and interleukin 1 (Correspondence), 201
Systemic sclerosis and endothelial studies, 561
Systemic sclerosis and γ-interferon, 496

Terbinafine and tinea capitis. Suppl. 39, 47
Terbinafine and antibacterial activity. Suppl. 39, 56
Terbinafine and fungal disease. Suppl. 39, 61
Terbinafine and its *N*-demethylated metabolite. Suppl. 39, 8
Terbinafine and nail pharmacokinetics. Suppl. 39, 28
Terbinafine and onychomycosis. Suppl. 39, 40
Terbinafine short-duration therapy and onychomycosis. Suppl. 39, 33
Terbinafine and sporotrichosis. Suppl. 39, 51
Terbinafine and squalene epoxidase inhibition. Suppl. 39, 2
Terbinafine treatment duration and onychomycosis. Suppl. 39, 36
Thalidomide and erythema multiforme (Correspondence), 92

Ultraviolet B erythema response and chronological age, 315
Ultraviolet radiation and Ro antigen expression by keratinocytes, 546

Vasculitis and atherosclerosis (Correspondence), 90
Vitamin D_3 analogue MC903 and psoriasis (Correspondence), 302
Vulvar dermatoses and allergic contact dermatitis, 52

Xanthogranulomatous inflammation (Case report), 290
Xeroderma pigmentosum and bone marrow failure (Case report), 372

Authors

ABDULLAH, M.S. see BARTON, S.P.
ABEL, S.M. see BACK, D. J.
AELVOET, G.E., JORENS, P.G. and ROELEN, L.M. Genetic aspects of the Klippel–Trenaunay syndrome, 603
AITCHISON, T.C. see WILLIAMS, R.E.A.
AKIMOTO, S., HAYASHI, H. and ISHIKAWA, H. Disaccharide analysis of the skin glycosaminoglycans in systemic sclerosis, 29
AKIYAMA, M. and KIKUCHI, A.
AL-IMARA, L. see BAKER, B.S.
ALLEN, S.G. see HENG, M.C.Y.
ALTMANNSBERGER, M. see ECKERT, F.
ANDERSEN, J.A. see BOJE RASMUSSEN, H.
ANDERSON, J.A. see ROGERS, S.
ARAKAWA, M. see HATAMOCHI, A.
ASHCROFT, A.T.T. see TAYLOR, M.
ASLANZADEH, J., HELM, K.F., ESPY, M.J., MULLER, S.A. and SMITH, T.F. Detection of HSV-specific DNA in biopsy tissue of patients with erythema multiforme by polymerase chain reaction, 19
ASSAY, B. see GILHAR, A.
ATHERTON, D.J. see SALOB, S.P.
ATHERTON, D.J. see SHEEHAN, M.P.
AUTIO, P. see OIKARINEN, A.
AXÉLL, T. see LODÉN, M.

BACK, D.J., TJIA, J.F. and ABEL, S.M. Azoles, allylamines and drug metabolism, Suppl. 39, 14
BÄCK, O. and LINNA, J. *In-vivo* administration of interleukin 1 both enhances and suppresses contact sensitivity in the mouse, 125
BAKER, B.S., BRENT, L., VALDIMARSSON, H., POWLES, A.V., AL-IMARA, L., WALKER, M. and FRY, L. Is epidermal cell proliferation in psoriatic skin grafts on nude mice driven by T-cell derived cytokines?, 105
BAKER, B.S. and FRY, L. The immunology of psoriasis (Review), 1
BALSLEV, E., THOMSEN, H.K., DANIELSEN, L. and WARBURG, F. The occurrence of pericapillary fibrin in venous hypertension and ischaemic leg ulcers: a histopathological study, 582
BAN, M. see TANI, M.
BARAN, R. and KINT, A. Onychomatrixoma. Filamentous tufted tumour in the matrix of a funnel-shaped nail: a new entity (report of three cases), 510
BARKER, J.N.W.N. and MACDONALD, D.M. Cutaneous lymphocyte trafficking in the inflammatory dermatoses (Review), 211
BARLOW, R.J. and GREAVES, M.W. Warfarin in the treatment of chronic urticaria/angio-oedema (Correspondence), 415
BARNETT, E.L. see WILLIAMS, R.E.A.
BARTLETT, W. see PEARS, J.S.
BARTON, S. see ELSAYED-ALI, H.
BARTON, S.P., ABDULLAH, M.S. and MARKS, R. Quantification of microvascular changes in the skin in patients with psoriasis, 569
BATES, D.O. see BULL, R.H.
BAUDRAZ-ROSSELET, F., RAKOSI, T., WILI, P.B., KENZELMANN, R. Treatment of onychomycosis with terbinafine, Suppl. 39, 40
BEER, W.E. see MORGAN, G.W.
BEHR, J. see HEIN, R.
BELJAARDS, R.C. and WILLEMZE, R. The prognosis of patients with lymphomatoid papulosis associated with malignant lymphomas, 596
BELLOSTA, M. see BERARDESCA, E.
BERARDESCA, E., FIDELI, D., BELLOSTA, M., DYNE, K.M., ZANABONI, G. and CETTA, G. Blood transfusions in the therapy of a case of prolidase deficiency, 193
BERGER, T.G. see MARTIN, A.G.
BERNARD, P. see ZURN, A.
BERTH-JONES, J., FLETCHER, A. and HUTCHINSON, P.E. Epidermal cytokeratin and immunocyte responses during treatment of psoriasis with calcipotriol and betamethasone valerate, 356
BINGHAM, E.A. see HANDLEY, J.
BIRGITTE LANE, E. see MARKEY, A.C.
BLACK, M.M. see KELLY, S.E.
BLAKE, D.R. see TRENAM, C.W.
BLÉTRY, O. see BRANCHET, M.C.
BODOKH, I. see GALLAIS, V.
BOISNIC, S. see BRANCHET, M.C.
BOJAR, R.A. see HOLLAND, K.T.
BOJE RASMUSSEN, H., TEISNER, B., ANDERSEN, J.A., YDE-ANDERSEN, E. and LEIGH, I. Foetal antigen 2 (FA2) in relation to wound healing and fibroblast proliferation, 148
BORRADORI, L., SAADA, V., RYBOJAD, M., FLAGEUL, B., KUFFER, R., LÉMANN, M., VEROLA, O., MODIGLIANI, R. and MOREL, P. Oral intraepidermal IgA pustulosis and Crohn's disease, 383
BONSMANN, G. see KOLDE, G.
BRANCHET, M.C., BOISNIC, S., BLÉTRY, O., ROBERT, L., CHARRON, D. and FRANCÈS, C. Expression of HLA class II antigens on skin fibroblasts in scleroderma, 431
BRAUN-FALCO, O. see HEIN, R.
BRÄUTIGAM, M. see NOLTING, S.
BRECKENRIDGE, A. Clinical significance of interactions with antifungal agents, Suppl. 39, 19
BRENT, L. see BAKER, B.S.

BROWNING, M.C.K. see PEARS, J.S.
BUCCHI, L., SERAFINI, M., CRISANTI, E., STANGANELLI, I. and RAFANELLI, S. Malignant melanoma, Breslow thickness and public education campaigns (Correspondence), 205
BUCKLEY, C. see HARRIS, D.W.S.
BUCKLEY, C., THOMAS, V., CROW, J., HOULSTON, R., SLACK, J. and RUSTIN, M.H.A. Cancer family syndrome associated with multiple malignant melanomas and a malignant fibrous histicytoma, 83
BULL, R.H., BATES, D.O. and MORTIMER, P.S. Intravital video-capillaroscopy for the study of the microcirculation in psoriasis, 436
BUREAU, B. see DRENO, B.
BURGE, S. see MARREN, P.
BURGE, S.M. see WILSON, C.L.
BURGE, S.M. Hailey-Hailey disease: the clinical features, response to treatment and prognosis, 275
BURGE, S.M., MARSHALL, J.M. and CEDERHOLM-WILLIAMS, S.A. Plasminogen binding sites in normal human skin, 35
BURROWS, N.P. and RUSSELL-JONES, R. Crohn's disease in association with hidradenitis suppurativa, 523
BURY, H.P.R. see KO, C.B.

CAMP, R.D.R. see ROSS, J.S.
CARMICHAEL, A.J., MCHUGH, M.I. and MARTIN, A.M. Itch unrelated to adequacy of haemodialysis (Correspondence), 95
CARSON, D. see HANDLEY, J.
CEDERHOLM-WILLIAMS, S.A. see BURGE, S.M.
CELEBI, C.R. see ZURN, A.
CERIO, R. see HELM, K.F.
CERIO, R. see ROSS, J.S.
CETTA, G. see BERARDESCA, E.
CHANG, A. see VAN DE KERKHOF, P.C.M.
CHANG, W.L. and YOUNG, S.R. Sun-induced localized bullous pemphigoid (Correspondence), 91
CHARRON, D. see BRANCHET, M.C.
CHOW, E.T.Y. and MORTIMER, P.S. Successful treatment of hidradenitis suppurativa and retroauricular acne with etretinate (Correspondence), 415
CIRKEL, P.K.S. see VAN DER SCHROEFF, J.G.
CIVATTE, J. see MOISSON, Y.F.
COATES, P., SHUTTLEWORTH, D. and REES, A. Resolution of nicotinic acid-induced acanthosis nigricans by substitution of an analogue (acipimox) in a patient with type V hyperlipidaemia, 412
COCKERELL, C.J. see MARTIN, A.G.
COCKERELL, C.J. see WEBSTER, G.F.
COLLIER, P.M., NEILL, S.M. and COPEMAN, P.W.M. Topical 5-aminosalicylic acid: a treatment for aphthous ulcers, 185
COLLINS, P., ROGERS, S., JACKSON, J. and MCCARTAN, B. Psoriasis, psoriatic arthritis and the possible association with Sjögren's syndrome, 242
COLVER, G.B. and GAWKRODGER, D.J. Vesiculo-bullous Darier's disease (Correspondence), 416
COOK, M.G. see FALLOWFIELD, M.E.
COPEMAN, P.W.M. see COLLIER, P.M.
CORK, M.J. see MCDONAGH, A.J.G.
COULSON, I.H., MALLETT, R.B. and HOLDEN, C.A. Acral persistent papular mucinosis, 283
COX, N.H., DIFFEY, B.L., FARR, P.M. The relationship between chronological age and the erythemal response to ultraviolet B radiation, 315
COX, N.H. and WILKINSON, D.S. Dermatitis artefacta as the presenting feature of auto-erythrocyte sensitization syndrome and naproxen-induced pseudoporphyria in a single patient, 86
COX, N.H., LARGE, D.M., PATERSON, W.D. and IVE, F.A. Blisters, ulceration and autonomic neuropathy in carpal tunnel syndrome, 611
CRAMB, R.B. see LIDDLE, B.J.
CRIJNS, M.B. see VAN DER SCHROEFF, J.G.
CRISANTI, E. see BUCCHI, L.
CROW, J. see BUCKLEY, C.
CUNLIFFE, W.J. see HOLLAND, K.T.
CURLEY, G.K. see MALLET, R.B.
CUTCLIFFE, A.G. see HOLLAND, K.T.
CZECH, W., KRUTMANN, J., SCHOPF, E. and KAPP, A. Serum eosinophil cationic protein (ECP) is a sensitive measure for disease activity in atopic dermatitis, 351

DABBAGH, A.J. see TRENAM, C.W.
DANIELSEN, L. see BALSLEV, E.
DARLEY, C. see MCGREGOR, J.M.
DAVID, M. see GILHAR, A.
DAWBER, R.P.R. see WILSON, C.L.
DE BERKER, D.A.R., WILSON, C.L. and MILLARD, P.R. Reactive perforating collagenosis and Down's syndrome, 71
DE GROOT, W.P. see POPE, F.M.
DE LUCA, C. see PICARDO, M.
DE WIT, R.F.E. see VAN DER SCHROEFF, J.G.
DEAN, D. see VENNING, V.A.
DEAN, D. see WILSON, C.L.
DENTON, K., WILSON, C.J. and VENNING, V.A. Primary cutaneous anaplastic large-cell lymphoma with a prolonged erythrodermic prodrome, 297
DIDIERJEAN, L. see ZURN, A.
DIFFEY, B.L. see COX, N.H.
DOBOZY, A. see KÓSZÓ, F.
DOHERTY, V.R. see WILLIAMS, R.E.A.
DOLMANS, W.M.V. see KOOPMAN, R.J.J.
DRENO, B., FLEISCHMANN, M., VALARD, S., GODEFROY, W., BUREAU, B., STADLER, J.F. and LITOUX, P. Induction of myelo-monocytic My7

antigen (CD13) expression by interferon α in basal cells of cutaneous T-cell lymphomas, 320
DYNE, K.M. see BERARDESCA, E.

EADY, E.A. see HOLLAND, K.T.
EADY, R.A.J. see MCGRATH, J.A.
ECKERT, F., NILLES, M. and ALTMANNSBERGER, M. Eccrine syringofibroadenoma: a case report with analysis of cytokeratin expression, 257
EDELSON, R.L. see TOKURA, Y.
ELIAS, P.M. see MENON, G.K.
ELSAYED-ALI, H., BARTON, S. and MARKS, R. Stereological studies of desmosomes in ichthyosis vulgaris, 24
ESPY, M.J. see ASLANZADEH, J.

FAGGIONI, A. see PICARDO, M.
FALLOWFIELD, M.E. and COOK, M.G. Re-excisions of scar in primary cutaneous melanoma: a histopathological study, 47
FAROOQ, L. see HOLLAND, K.T.
FARR, P.M. see COX, N.H.
FARRELL, A.M. see HOLLAND, K.T.
FIDELI, D. see BERARDESCA, E.
FIELDING, P. see FREEMONT, A.J.
FIFE, K.M., TALBOT, D.C., MORTIMER, P., FISHER, C. and SMITH, I.E. Chylous ascites in Kaposi's sarcoma: a case report, 378
FINLAY, A.Y. Pharmacokinetics of terbinafine in the nail. Suppl. 39, 28
FINLAY, A.Y. see LONG, C.C.
FIORAVANTI, M.L. see PAMPIGLIONE, S.
FISHER, C. see FIFE, K.M.
FLAGEUL, B. see BORRADORI, L.
FLEISCHMANN, M. see DRENO, B.
FLEMING, S. see KELLY, S.E.
FLETCHER, A. see BERTH-JONES, J.
FOGLIA, A.N. see HARKAWAY, K.S.
FORSSELL, H. see LAINE, J.
FRANCÈS, C. see BRANCHET, M.C.
FREEMONT, A.J., HOYLAND, J., FIELDING, P., HODSON, N. and JAYSON, M.I.V. Studies of the microvascular endothelium in uninvolved skin of patients with systemic sclerosis: direct evidence for a generalized microangiopathy, 561
FRIED, F. see HARKAWAY, K.S.
FRIEDMAN-KIEN, A.E. see WEBSTER, G.F.
FROEBEL, K. see YEAMAN, G.R.
FRY, L. see BAKER, B.S.
FUKUDA, M. see MAEDA, K.
FUKUSAKO, T. see TAKASE, Y.
FUKUZAWA, K. and HORIKOSHI, T. Inhibitory effect on human fibroblast interferon (HuIFN-β) on the growth and invasive potential of cultured human melanoma cells *in vitro*, 324

GALEA, G. see YEAMAN, G.R.
GALLAIS, V., LACOUR, J.PH., PERRIN, C., GHANEM, G., BODOKH, I. and ORTONNE, J.P. Acral hyperpigmented macules and longitudinal melanonychia in AIDS patients, 387
GASPARRO, F.P. see TOKURA, Y.
GAUCHERAND, M. see MACHADO, P.
GAWKRODGER, D.J. see COLVER, G.B.
GAWKRODGER, D.J. see MCDONAGH, A.J.G.
GHADIALLY, R. see MENON, G.K.
GHANEM, G. see GALLAIS, V.
GIBSON, W.T. see TAYLOR, M.
GILHAR, A., PILLAR, T., ASSAY, B. and DAVID, M. Failure of passive transfer of serum from patients with alopecia areata and alopecia universalis to inhibit hair growth in transplants of human scalp skin grafted on to nude mice, 166
GILLESPIE, S.H. see OSTLERE, L.S.
GODEFROY, W. see DRENO, B.
GOODFIELD, M.J.D. Short-duration therapy with terbinafine for dermatophyte onychomycosis: A multicentre trial. Suppl. 39, 33
GOVAERT, F.J. see VAN DER SCHROEFF, J.G.
GRASS, P. see KOVARIK, J.M.
GREAVES, M.W. see BARLOW, R.J.
GREENSTONE, M. see KO, C.B.
GRIBBON, E.M. see HOLLAND, K.T.
GRIFFITHS, R.W. see MCDONAGH, A.J.G.
GROENEWEG, D.A. see VAN DER SCHROEFF, J.G.
GUDMUNDSEN, K., OTRIDGE, B. and MURPHY, G.M. Fulminant fatal lupus erythematosus (Correspondence), 303

HADDEN, D. see HANDLEY, J.
HÅKANSON, R. see WALLENGREN, J.
HANDLEY, J., CARSON, D., SLOAN, J., WALSH, M., THORNTON, C., HADDEN, D. and BINGHAM, E.A. Multiple lentigines, myxoid tumours and endocrine overactivity: four cases of Carney's complex, 367
HAPPONEN, R-P. see LAINE, J.
HARA, M. see MATSUNAGA, J.
HARIA, M., O'NEILL, R.C. and WRIGHT, S. The effect of topical steroids on cutaneous oxygen tension, 502
HARKAWAY, K.S., MCGINLEY, K.J., FOGLIA, A.N., LEE, W-L., FRIED, F., SHALITA, A.R. and LEYDEN, J.J. Antibiotic resistance patterns in coagulase-negative staphylococci after treatment with topical erythromycin, benzoyl peroxide, and combination therapy, 586
HARLAND, C.C. and KILBY, P.E. Vasculitis in association with atherosclerosis (Correspondence), 90
HAROON, T.S., HUSSAIN, I., MAHMOOD, A., NAGI, A.H., AHMAN, I. and ZAHID, M. An open clinical pilot study of the efficacy and safety of oral terbina-

fine in dry non-inflammatory tinea capitis. Suppl. 39, 47
HARPER, J.I. see PHILLIPS, R.J.
HARRINGTON, C.I. see MCDONAGH, A.J.G.
HARRIS, D. see OSTLERE, L.S.
HARRIS, D.W.S., OSTLERE, L., BUCKLEY, C., JOHNSON, M. and RUSTIN, M.H.A. Eosinophilic pustular folliculitis in an HIV-positive man: response to cetirizine, 392
HATAMOCHI, A., ONO, M., ARAKAWA, M., TAKEDA, K. and UEKI, H. Analysis of collagen gene expression by cultured fibroblasts in morphoea, 216
HAUSMANN, R. see POPE, F.M.
HAYASHI, H. see AKIMOTO, S.
HEAGERTY, A.H.M. see MCGRATH, J.A.
HECKMANN, M. see SCHIRREN, C.G.
HEIN, R., BEHR, J., HÜNDGEN, M., HUNZELMANN, N., MEURER, M., BRAUN-FALCO, O., URBANSKI, A. and KRIEG, T. Treatment of systemic sclerosis with γ-interferon 496
HELM, K.F. see ASLANZADEH, J.
HELM, K.F., CERIO, R. and WINKELMANN, R.K. Granulomatous slack skin: a clinicopathological and immunohistochemical study of three cases, 142
HENG, M.C.Y., HENG, S.Y. and ALLEN, S.G. Expression of L-fucose moiety on epidermal keratinocytes in psoriasis induced by the Koebner phenomenon: a sequential study, 575
HENG, S.Y. see HENG, M.C.Y.
HEPBURN, N.C. Dermatological problems in British troops during the Gulf War (Correspondence), 200
HIDANO, A. see NOGITA, T.
HODSON, N. see FREEMONT, A.J.
HOLDEN, C.A. see COULSON, I.H.
HOLLAND, K.T., BOJAR, R.A., CUNLIFFE, W.J., CUTCLIFFE, A.G., EADY, E.A., FAROOQ, L., FARRELL, A.M., GRIBBON, E.M. and TAYLOR, D. The effect of zinc and erythromycin on the growth of erythromycin-resistant and erythromycin-sensitive isolates of *Propionibacterium acnes*: an *in-vitro* study, 505
HOLT, P.J.A. see MOTLEY, R.J.
HORI, Y. see NAKAYAMA, J.
HORIKAWA, T. see TANI, M.
HORIKOSHI, T. see FUKUZAWA, K.
HOULSTON, R. see BUCKLEY, C.
HOYLAND, J. see FREEMONT, A.J.
HULL, P.R. and VISMER, H.F. Treatment of cutaneous sporotrichosis with terbinafine. Suppl. 39, 51
HUMBERT, H. see KOVARIK, J.M.
HUMPHREYS, W.V. see MORGAN, G.W.
HÜNDGEN, M. see HEIN, R.
HUNZELMANN, N. see HEIN, R.
HUNZELMANN, N. see SCHIRREN, C.G.
HUTCHINSON, P.E. see BERTH-JONES, J.
IKEZAWA, Z. see SUGITA, Y.
INABA, M. see TSUBOI, R.
ISHIDA-YAMAMOTO, A. see MCGRATH, J.A.
ISHII, N. see TANI, M.
ISHIKAWA, H. see AKIMOTO, S.
IVE, F.A. see COX, N.H.
JACKSON, J. see COLLINS, P.
JANIER, M. see MOISSON, Y.F.
JAYSON, M.I.V. see FREEMONT, A.J.
JOHNSON, J.A. Dihydroxyacetone for protection against long wavelength UVA radiation and blue light (Correspondence), 94
JOHNSON, M. see HARRIS, D.W.S
JONES, S.K. The effects of hormonal and other stimuli on cell-surface Ro/SSA antigen expression by human keratinocytes *in vitro*: their possible role in the induction of cutaneous lupus lesions, 554
JONES, S.K. Ultraviolet radiation (UVR) induces cell-surface Ro/SSA antigen expression by human keratinocytes *in vitro*: a possible mechanism for the UVR induction of cutaneous lupus lesions, 546
JONES, T.C. see VILLARS, V.V.
JORENS, P.G. see AELVOET, G.E.
JUNG, R.T. see PEARS, J.S.
KALIMO, K. see LAINE, J.
KAPP, A. see CZECH, W.
KARLBERG, A-T. and LIDÉN, C. Colophony (rosin) in newspapers may contribute to hand eczema, 161
KASORI, J. see NOGITA, T.
KAWASHIMA, M. see NOGITA, T.
KECZKES, K. see KO, C.B.
KELLY, S.E., MCVITTIE, E., BLACK, M.M. and FLEMING, S. Isolated basal keratinocytes express pemphigoid gestationis antigen, 42
KENICER, K. see PEARS, J.S.
KENZELMANN, R. see BAUDRAZ-ROSSELET, F.
KIISTALA, R. Adrenaline-induced local sweating and vasoconstrictive responses in atopic skin, 246
KIISTALA, R. see PARKKINEN, M.U.
KIISTALA, U. see OIKARINEN, A.
KIISTALA, U. see PARKKINEN, M.U.
KIKUCHI, A., SAKURAOKA, K., KURIHARA, S., AKIYAMA, M., SHIMIZU, H. and NISHIKAWA, T. $CD8^+$ cutaneous anaplastic large-cell lymphoma: report of two cases with immunophenotyping, T-cell-receptor gene rearrangement and electron microscopic studies, 404
KILBY, P.E. see HARLAND, C.C.
KINT, A. see BARAN, R.
KIRKESSELI, S. see KOVARIK, J.M.
KIRKHAM, N. see MCGREGOR, J.M.
KO, C.B., WALTON, S., KECZKES, K., GREENSTONE, M. and BURY, H.P.R. AIDS-related Kaposi's sarcoma in a heterosexual female, 74

KOLDE, G. and BONSMANN, G. Generalized lichenoid juvenile xanthogranuloma, 66
KOMURA, A. see TANI, M.
KOOPMAN, R.J.J., VAN MERRIËNBOER, F.C.J., VREDEN, S.G.S. and DOLMANS, W.M.V. Molluscum contagiosum; a marker for advanced HIV infection (Correspondence), 528
KÓSZÓ, F., MORVAY, M., DOBOZY, A. and SIMON, N. Erythrocyte uroporphyrinogen decarboxylase activity in 80 unrelated patients with porphyria cutanea tarda, 446
KOVARIK, J.M., KIRKESSELI, S., HUMBERT, H., GRASS, P. and KUTZ, K. Dose-proportional pharmacokinetics of terbinafine and its *N*-demethylated metabolite in healthy volunteers. Suppl. 39, 8
KRIEG, T. see HEIN, R.
KRIEG, T. see SCHIRREN, C.G.
KRUTMANN, J. see CZECH, W.
KUFFER, R. see BORRADORI, L.
KUMAGAI, M. see TANI, M.
KURIHARA, S. see KIKUCHI, A.
KUTZ, K. see KOVARIK, J.M.
KUWAHARA, M. see SEISHIMA, M.
KWEE, M.L. see POPE, F.M.

LACOUR, J.PH. see GALLAIS, V.
LAINE, J., KALIMO, K., FORSSELL, H. and HAPPONEN, R-P. Resolution of oral lichenoid lesions after replacement of amalgam restorations in patients allergic to mercury compounds, 10
LAING, R.W. see MCDONAGH, A.J.G.
LAKE, B.D. see PHILLIPS, R.J.
LARGE, D.M. see COX, N.H.
LAWRENCE, C. see RAMSAY, B.
LEE, W-L. see HARKAWAY, K.S.
LEIGH, I. see BOJE RASMUSSEN, H.
LEIGH, I.M. see MARKEY, A.C.
LÉMANN, M. see BORRADORI, L.
LEVER, L.R. see LONG, C.C.
LEYDEN, J.J. see HARKAWAY, K.S.
LIDDLE, B.J., MARSDEN, J.R. and CRAMB, R.B. Does griseofulvin alter serum lipids? (Correspondence), 202
LIDÉN, C. see KARLBERG, A-T.
LINDE, Y.W. see LODÉN, M.
LINNA, J. see BÄCK, O.
LITOUX, P. see DRENO, B.
LODÉN, M., OLSSON, H., AXÉLL, T., LINDE, Y.W. Friction, capacitance and transepidermal water loss (TEWL) in dry atopic and normal skin, 137
LONG, C.C., FINLAY, A.Y. and MARKS, R. Fixed drug eruption to mefenamic acid: a report of three cases, 409
LONG, C.C., LEVER, L.R. and MARKS, R. Unilateral bullous pemphigoid in a hemiplegic patient, 614
LORETTE, G. see VAILLANT, L.

MCCARTAN, B. see COLLINS, P.
MCDONAGH, A.J.G., LAING, R.W., HARRINGTON, C.I. and GRIFFITHS, R.W. Giant alopecic nodule of the scalp: unusual presentation of a cellular blue naevus in an adult, 375
MCDONAGH, A.J.G., WRIGHT, A.L., CORK, M.J. and GAWKRODGER, D.J. Nickel sensitivity: the influence of ear piercing and atopy, 16
MACDONALD, D.M. see BARKER, J.N.W.N.
MACDONALD, D.M. see MARKEY, A.C.
MCGIBBON, D.H. see MCGREGOR, J.M.
MCGINLEY, K.J. see HARKAWAY, K.S.
MCGRATH, J.A., ISHIDA-YAMAMOTO, A., TIDMAN, M.J., HEAGERTY, A.H.M., SCHOFIELD, O.M.V. and EADY, R.A.J. Epidermolysis bullosa simplex (Dowling–Meara). A clinicopathological review, 421
MCGREGOR, J.M., NEWELL, M., ROSS, J., KIRKHAM, N., MCGIBBON, D.H. and DARLEY, C. Cutaneous malignant melanoma and human immunodeficiency virus (HIV) infection: a report of three cases, 516
MACHADO, P., MICHALAKI, H., ROCHE, P., GAUCHERAND, M., THIVOLET, J. and NICOLAS, J-F. Serological diagnosis of bullous pemphigoid (BP): comparison of the sensitivity of indirect immunofluorescence on salt-split skin to immunoblotting, 236
MACHET, L. see VAILLANT, L.
MCHUGH, M.I. see CARMICHAEL, A.J.
MACKIE, R.M. see STABLES, G.I.
MACKIE, R.M. see WILLIAMS, R.E.A.
MACKIE, R.M. see WILLIAMS, R.E.A.
MCVITTIE, E. see KELLY, S.E.
MAEDA, K., TOMITA, Y., FUKUDA, M. and TAGAMI, H. Effects of staurosporine, PMA and A23187 on human melanocyte cultures with dibutyryl cyclic AMP, 118
MAJEWSKI, S. see SCHIRREN, C.G.
MALLET, R.B., CURLEY, G.K. and MORTIMER, P.S. Acquired lymphangioma: report of four cases and a discussion of the pathogenesis, 380
MALLETT, R.B. see COULSON, I.H.
MARCHESE, C. see PICARDO, M.
MARKEY, A.C., BIRGITTE LANE, E., MACDONALD, D.M. and LEIGH, I.M. Keratin expression in basal cell carcinomas, 154
MARKS, R. see BARTON, S.P.
MARKS, R. see ELSAYED-ALI, H.
MARKS, R. see LONG, C.C.
MARKS, R. British Association of University Teachers of Dermatology (BAUTOD) (Correspondence), 201
MARREN, P. and BURGE, S. Seborrhoeic dermatitis of the scalp—a manifestation of Hailey-Hailey disease in a predisposed individual?, 294

MARREN, P., WOJNAROWSKA, F. and POWELL, S. Allergic contact dermatitis and vulvar dermatoses, 52
MARSDEN, J.R. see LIDDLE, B.J.
MARSHALL, J.M. see BURGE, S.M.
MARTIN, A.M. see CARMICHAEL, A.J.
MARTIN, A.G., WEAVER, C.C., COCKERELL, C.J. and BERGER, T.G. Pityriasis rubra pilaris in the setting of HIV infection: clinical behaviour and association with explosive cystic acne, 617
MATSUNAGA, J., HARA, M. and TAGAMI, H. Scleredema of Buschke associated with malignant insulinoma (Correspondence), 527
MENON, G.K., GHADIALLY, R., WILLIAMS, M.L. and ELIAS, P.M. Lamellar bodies as delivery systems of hydrolytic enzymes: implications for normal and abnormal desquamation, 337
MESSENGER, A.G. see TAYLOR, M.
MEURER, M. see HEIN, R.
MICHALAKI, H. see MACHADO, P.
MIELKE, V. see STERRY, W.
MIHATSCH, M.J. and WOLFF, K. Consensus Conference on cyclosporin A for psoriasis, 621
MILLARD, P.R. see DE BERKER, D.A.R.
MILLARD, P.R. see VENNING, V.A.
MISHIMA, Y. see TANI, M.
MODIGLIANI, R. see BORRADORI, L.
MOISSON, Y.F., JANIER, M. and CIVATTE, J. Thalidomide for recurrent erythema multiforme (Correspondence), 92
MOREL, P. see BORRADORI, L.
MORGAN, G.W., BEER, W.E., WAYTE, D.M. and HUMPHREYS, W.V. Desmoplastic malignant melanoma: a salutary lesson for clinician and dermopathologist (Correspondence), 301
MORI, S. see SEISHIMA, M.
MORIMATSU, M. see TAKASE, Y.
MORIOKA, R. see TSUBOI, R.
MORISHIMA, T. see NOGITA, T.
MOROI, Y. see NAKAYAMA, J.
MORRIS, C.J. see TRENAM, C.W.
MORTIMER, P. see FIFE, K.M.
MORTIMER, P.S. see CHOW, E.T.Y.
MORTIMER, P.S. see MALLET, R.B.
MORTIMER, P.S. see BULL, R.H.
MORVAY, M. see KÓSZÓ, F.
MOTLEY, R.J. and HOLT, P.J.A. A simple device for optimal tissue preparation for Mohs micrographic surgery, 57
MULLER, S.A. see ASLANZADEH, J.
MURPHY, G.M. see GUDMUNDSEN, K.

NAGAO, S. see SEISHIMA, M.
NAGATANI, T. see SUGITA, Y.
NAGAYAMA, M. see NOGITA, T.
NAKAJIMA, H. see SUGITA, Y.
NAKAYAMA, J., MOROI, Y., TOSHITANI, A., TANIGUCHI, S., OKAMOTO-INOUE, M. and HORI, Y. Responses of B16 melanoma cell lines, F1 and F10, to hyperthermia, lymphokine-activated killer cells and a combination of both *in vitro*, 131
NEILL, S.M. see COLLIER, P.M.
NEWELL, M. see MCGREGOR, J.M.
NICHOLLS, A.C. see POPE, F.M.
NICOLAS, J-F. see MACHADO, P.
NIEBOER, C. and VERBURGH, C.A. Psoriasis treatment with vitamin D_3 analogue MC 903 (Correspondence), 302
NILLES, M. see ECKERT, F.
NISHIKAWA, T. see KIKUCHI, A.
NOGITA, T., NAGAYAMA, M., KAWASHIMA, M., HIDANO, A., KASORI, J. and MORISHIMA, T. Spitz naevus of the toe, 520
NOLTING, S. and BRÄUTIGAM, M. Clinical relevance of the antibacterial activity of terbinafine: A contralateral comparison between 1% terbinafine cream and 0·1% gentamicin sulphate cream in pyoderma. Suppl. 39, 56
NOMURA, K. see SUGITA, Y.
NOZAWA, Y. see SEISHIMA, M.

OGAWA, H. see TSUBOI, R.
OIKARINEN, A., AUTIO, P., VUORI, J., VÄÄNÄNEN, K., RISTELI, L., KIISTALA, U. and RISTELI, J. Systemic glucocorticoid treatment decreases serum concentrations of carboxyterminal propeptide of type 1 procollagen and aminoterminal propeptide of type III procollagen, 172
OKAMOTO-INOUE, M. see NAKAYAMA, J.
OLSSON, H. see LODÉN, M.
O'NEILL, R.C. see HARIA, M.
ONO, M. see HATAMOCHI, A.
ORMEROD, A. see YEAMAN, G.R.
ORMEROD, A.D. see WAKEEL, R.A.
ORTONNE, J.P. see GALLAIS, V.
OSTLERE, L. see HARRIS, D.W.S.
OSTLERE, L.S., HARRIS, D., GILLESPIE, S.H. and RUSTIN, M.H.A. Acute infectious erythemas in children (Correspondence), 302
OTRIDGE, B. see GUDMUNDSEN, K.

PALAN, A. see POPE, F.M.
PAMPIGLIONE, S., SCHIAVON, S. and FIORAVANTI, M.L. Extensive furuncular myiasis due to *Cordylobia rodhaini* larvae (Correspondence), 418
PARKKINEN, M.U., KIISTALA, R. and KIISTALA, U. Sweating response to moderate thermal stress in atopic dermatitis, 346
PARODI, A. and REBORA, A. Serum IgE antibodies bind to the epidermal side of the basement zone splits in bullous pemphigoid (Correspondence), 526

PARSONS, M.A. see ROGERS, S.
PATERSON, W.D. see COX, N.H.
PEARS, J.S., JUNG, R.T., BARTLETT, W., BROWNING, M.C.K., KENICER, K. and THODY, A.J. A case of skin hyperpigmentation due to α-MSH hypersecretion, 286
PERKINS, W. see WILLIAMS, R.E.A.
PERRIN, C. see GALLAIS, V.
PETZELBAUER, P., WOLFF, K. and TAPPEINER, G. Necrobiosis lipoidica: treatment with systemic corticosteroids, 542
PHILLIPS, R.J., HARPER, J.I. and LAKE, B.D. Intraepidermal collagen type VII in dystrophic epidermolysis bullosa: report of five new cases, 222
PICARDO, M., ZOMPETTA, C., MARCHESE, C., DE LUCA, C., FAGGIONI, A., SCHMIDT, R.J. and SANTUCCI, B. Paraphenylenediamine, a contact allergen, induces oxidative stress and ICAM-1 expression in human keratinocytes, 450
PILLAR, T. see GILHAR, A.
POPE, F.M., NICHOLLS, A.C., PALAN, A., KWEE, M.L., DE GROOT, W.P. and HAUSMANN, R. Clinical features of an affected father and daughter with Ehlers–Danlos syndrome type VIIB, 77
POWELL, S. see MARREN, P.
POWLES, A.V. see BAKER, B.S.

RAFANELLI, S. see BUCCHI, L.
RAKOSI, T. see BAUDRAZ-ROSSELET, F.
RAMSAY, B., RICE, N. and LAWRENCE, C. The effect of indomethacin on anthralin inflammation, 262
REBORA, A. see PARODI, A.
REES, A. see COATES, P.
REES, J. The molecular biology of retinoic acid receptors: orphan from good family seeks home (Review), 97
RICE, N. see RAMSAY, B.
RISTELI, J. see OIKARINEN, A.
RISTELI, L. see OIKARINEN, A.
ROBERT, L. see BRANCHET, M.C.
ROBERTS, D.T. Prevalence of dermatophyte onychomycosis in the United Kingdom: Results of an omnibus survey. Suppl. 39, 23
ROCHE, P. see MACHADO, P.
ROELEN, L.M. see AELVOET, G.E.
ROGERS, S. see COLLINS, P.
ROGERS, S., SLATER, D.N., ANDERSON, J.A. and PARSONS, M.A. Cutaneous xanthogranulomatous inflammation: a potential indicator of internal disease, 290
ROSS, J. see MCGREGOR, J.M.
ROSS, J.S., CERIO, R. and CAMP, R.D.R. Factor XIIIa+ cells in Sweet's syndrome: the role of interleukin 1 (Correspondence), 201
RUSSELL-JONES, R. see Burrows, N.P.
RUSTIN, M.H.A. see BUCKLEY, C.
RUSTIN, M.H.A. see HARRIS, D.W.S.
RUSTIN, M.H.A. see OSTLERE, L.S.
RYBOJAD, M. see BORRADORI, L.
RYDER, N.S. Terbinafine: Mode of action and properties of the squalene epoxidase inhibition. Suppl. 39, 2

SAADA, V. see BORRADORI, L.
SAIDA, T. Heterogeneity of the site of origin of malignant melanoma in ungual areas: 'subungual' malignant melanoma may be a misnomer (Correspondence), 529
SAKURAOKA, K. see KIKUCHI, A.
SALOB, S.P., WEBB, D.K.H. and ATHERTON, D.J. A child with xeroderma pigmentosum and bone marrow failure, 372
SANTUCCI, B. see PICARDO, M.
SASASE, A. see TANI, M.
SAURAT, J-H. see ZURN, A.
SCHIAVON, S. see PAMPIGLIONE, S.
SCHIRREN, C.G., MAJEWSKI, S., HUNZELMANN, N., HECKMANN, M. and KRIEG, T. The effect of interferon-gamma on the invasiveness of HT-180 cells, 331
SCHMIDT, R.J. see PICARDO, M.
SCHOFIELD, O.M.V. see MCGRATH, J.A.
SCHOPF, E. see CZECH, W.
SEISHIMA, M., NAGAO, S., KUWAHARA, M., MORI, S. and NOZAWA, Y. Increased calmodulin levels in fibroblasts from progressive systemic sclerosis, 231
SERAFINI, M. see BUCCHI, L.
SEWELL, H.F. see WAKEEL, R.A.
SHALITA, A.R. see HARKAWAY, K.S.
SHEEHAN, M.P. and ATHERTON, D.J. A controlled trial of traditional Chinese medicinal plants in widespread non-exudative atopic eczema, 179
SHIMIZU, H. see KIKUCHI, A.
SHIMOKAWA, R. see TSUBOI, R.
SHUTTLEWORTH, D. see COATES, P.
SIEBEL, A. see STERRY, W.
SIMON, N. see KÓSZÓ, F.
SLACK, J. see BUCKLEY, C.
SLATER, D.N. see ROGERS, S.
SLOAN, J. see HANDLEY, J.
SMITH, I.E. see FIFE, K.M.
SMITH, K.C. Hydroxychloroquine is useful in the management of atopic dermatitis (Correspondence), 93
SMITH, N.P. see THOMAS, R.J.
SMITH, T.F. see ASLANZADEH J.
SORENSEN, H. see VAILLANT, L.
SPITTLE, M.F. see THOMAS, R.J.
STABLES, G.I. and MACKIE, R.M. Generalized eruptive histiocytoma, 196
STADLER, J.F. see DRENO, B.
STANGANELLI, I. see BUCCHI, L.
STERRY, W., SIEBEL, A. and MIELKE, V. HTLV-1-

negative pleomorphic T-cell lymphoma of the skin: the clinicopathological correlations and natural history of 15 patients, 456
SUGITA, Y., NAGATANI, T., IKEZAWA, Z., NOMURA, K., WATANABE, Y., UITTO, J. and NAKAJIMA, H. Modulation of bullous pemphigoid antigen gene expression by γ-interferon in cultured keratinocytes, 468

TABURET, A.M. see VAILLANT, L.
TAGAMI, H. see MAEDA, K.
TAGAMI, H. see MATSUNAGA, J.
TAKASE, Y., TSUSHIMI, K., YAMAMOTO, K., FUKUSAKO, T. and MORIMATSU, M. Unilateral localized hyperhidrosis responding to treatment with clonazepam (Correspondence), 416
TAKEDA, K. see HATAMOCHI, A.
TALBOT, D.C. see FIFE, K.M.
TAN, C.Y. see YEE, K.C.
TANI, M., ISHII, N., KUMAGAI, M., BAN, M., SASASE, A. and MISHIMA, Y. Malignant Langerhans cell tumour, 398
TANI, M., KOMURA, A. and HORIKAWA, T. 1α,25-dihydroxyvitamin D_3 modulates Ia antigen expression induced by interferon-γ and prostaglandin E_2 production in Pam 212 cells, 266
TANIGUCHI, S. see NAKAYAMA, J.
TAPPEINER, G. see PETZELBAUER, P.
TAYLOR, D. see HOLLAND, K.T.
TAYLOR, M., ASHCROFT, A.T.T., WESTGATE, G.E., GIBSON, W.T. and MESSENGER, A.G. Glycosaminoglycan synthesis by cultured human hair follicle dermal papilla cells: comparison with non-follicular dermal fibroblasts, 479
TAZELAAR, D.J. see VAN DER SCHROEFF, J.G.
TEISNER, B. see BOJE RASMUSSEN, H.
THIVOLET, J. see MACHADO, P.
THODY, A.J. see PEARS, J.S.
THOMAS, R.J., SMITH, N.P. and SPITTLE, M.F. The 'tin-tack' sign in post-irradiation scalp skin scales (Correspondence), 90
THOMAS, V. see BUCKLEY, C.
THOMSEN, H.K. see BALSLEV, E.
THORNTON, C. see HANDLEY, J.
TIBBS, C.J. and WILCOX, D.J. Norwegian scabies and herpes simplex in a patient with chronic lymphatic leukaemia and hypogammaglobulinaemia (Correspondence), 523
TIDMAN, M.J. see MCGRATH, J.A.
TILLMAN, D.M. see WILLIAMS, R.E.A.
TJIA, J.F. see BACK, D.J.
TOKURA, Y., EDELSON, R.L. and GASPARRO, F.P. Retinoid augmentation of bioactive interleukin-1 production by murine keratinocytes, 485
TOMITA, Y. see MAEDA, K.
TOSHITANI, A. see NAKAYAMA, J.
TRENAM, C.W., DABBAGH, A.J., BLAKE, D.R. and MORRIS, C.J. The role of iron in an acute model of skin inflammation induced by reactive oxygen species (ROS), 250
TSUBOI, R., MORIOKA, R., YAGUCHI, H., SHIMOKAWA, R., INABA, M. and OGAWA, H. Primary cutaneous plasmacytoma: treatment with intralesional tumour necrosis factor-α 395
TSUSHIMI, K. see TAKASE, Y.

UEKI, H. see HATAMOCHI, A.
UITTO, J. see SUGITA, Y.
URBANIAK, S.J. see YEAMAN, G.R.
URBANSKI, A. see HEIN, R.

VÄÄNÄNEN, K. see OIKARINEN, A.
VAILLANT, L., MACHET, L., TABURET, A.M., SORENSEN, H. and LORETTE, G. Levels of fusidic acid in skin blister fluid and serum after repeated administration of two dosages (250 and 500 mg), 591
VALARD, S. see DRENO, B.
VALDIMARSSON, H. see BAKER, B.S.
VAN DE KERKHOF, P.C.M. On the limitations of the psoriasis area and severity index (PASI) (Correspondence), 205
VAN DE KERKHOF, P.C.M. and CHANG, A. Scarring alopecia and psoriasis (Correspondence), 524
VAN DER SCHROEFF, J.G., CIRKEL, P.K.S., CRIJNS, M.B., VAN DIJK, T.J.A., GOVAERT, F.J., GROENEWEG, D.A., TAZELAAR, D.J., DE WIT, R.F.E. and WUITE, J. A randomized treatment duration-finding study of terbinafine in onychomycosis. Suppl. 39, 36
VAN DIJK, T.J.A. see VAN DER SCHROEFF, J.G.
VAN MERRIËNBOER, F.C.J. see KOOPMAN, R.J.J.
VENNING, V.A. see DENTON, K.
VENNING, V.A., DEAN, D. and WOJNAROWSKA, F. Absence of expression of class II major histocompatibility complex determinants on keratinocytes in bullous pemphigoid, 463
VENNING, V.A. and MILLARD, P.R. Recurrent scabies with unusual clinical features in a renal transplant recipient (Correspondence), 204
VERBURGH, C.A. see NIEBOER, C.
VEROLA, O. see BORRADORI, L.
VILLARS, V.V. and JONES, T.C. Special features of the clinical use of oral terbinafine in the treatment of fungal diseases. Suppl. 39, 61
VISMER, H.F. see HULL, P.R.
VREDEN, S.G.S. see KOOPMAN, R.J.J.
VUORI, J. see OIKARINEN, A.

WAKEEL, R.A., ORMEROD, A.D., SEWELL, H.F. and WHITE, M.I. Subcorneal accumulation of Langerhans cells in erythema gyratum repens, 189

WAKEEL, R.A. and WHITE, M.I. Erythema multiforme associated with hepatitis B vaccine (Correspondence), 94
WALKER, M. see BAKER, B.S.
WALLENGREN, J. and HÅKANSON, R. Effects of capsaicin, bradykinin and prostaglandin E_2 in the human skin, 111
WALSH, M. see HANDLEY, J.
WALTON, S. see KO, C.B.
WARBURG, F. see BALSLEV, E.
WATANABE, Y. see SUGITA, Y.
WAYTE, D.M. see MORGAN, G.W.
WEAVER, C.C. see MARTIN, A.G.
WEBB, D.K.H. see SALOB, S.P.
WEBSTER, G.F., COCKERELL, C.J. and FRIEDMAN-KIEN, A.E. The clinical spectrum of bacillary angiomatosis (Review), 535
WESTGATE, G.E. see TAYLOR, M.
WHITE, M.I. see WAKEEL, R.A.
WHITE, S.I. see WILLIAMS, R.E.A.
WILCOX, D.J. see TIBBS, C.J.
WILI, P.B. see BAUDRAZ-ROSSELET, F.
WILKINSON, D.S. see COX, N.H.
WILLEMZE, R. see BELJAARDS, R.C.
WILLIAMS, M.L. see MENON, G.K.
WILLIAMS, R.E.A., DOHERTY, V.R., PERKINS, W., AITCHISON, T.C. and MACKIE, R.M. *Staphylococcus aureus* and intra-nasal mupirocin in patients receiving isotretinoin for acne, 362
WILLIAMS, R.E.A., TILLMAN, D.M., WHITE, S.I., BARNETT, E.L. and MACKIE, R.M. Re-examining crude coal tar treatment for psoriasis, 608
WILSON, C.J. see DENTON, K.
WILSON, C.L. see DE BERKER, D.A.R.
WILSON, C.L., BURGE, S.M., DEAN, D. and DAWBER, R.P.R. Scarring alopecia in discoid lupus erythematosus, 307
WINKELMANN, R.K. see HELM, K.F.
WOJNAROWSKA, F. see MARREN, P.
WOJNAROWSKA, F. see VENNING, V.A.
WOLFF, K. see MIHATSCH, M.J.
WOLFF, K. see PETZELBAUER, P.
WRIGHT, A.L. see MCDONAGH, A.J.G.
WRIGHT, S. see HARIA, M.
WUITE, J. see VAN DER SCHROEFF, J.G.

YAGUCHI, H. see TSUBOI, R.
YAMAMOTO, K. see TAKASE, Y.
YDE-ANDERSEN, E. see BOJE RASMUSSEN, H.
YEAMAN, G.R., FROEBEL, K., GALEA, G., ORMEROD, A. and URBANIAK, S.J. Discoid lupus erythematosus in an X-linked cytochrome-positive carrier of chronic granulomatous disease, 60
YEE, K.C. and TAN, C.Y. Atypical pustular psoriasis in a West Indian female (Correspondence), 417
YOUNG, S.R. see CHANG, W.L.

ZACHARIAE, H. Methotrexate and non-steroidal anti-inflammatory drugs (Correspondence), 95
ZANABONI, G. see BERARDESCA, E.
ZOMPETTA, C. see PICARDO, M.
ZURN, A., CELEBI, C.R., BERNARD, P., DIDIERJEAN, L. and SAURAT, J-H. A prospective immunofluorescence study of 111 cases of pruritic dermatoses of pregnancy: IgM anti-basement membrane zone antibodies as a novel finding, 474